	Hits	Search Text	DBs
		("5291515" "5347537"	
		"5533014" "5675344"	
		"5675585" "5802046"	
		"5822359" "5859840"	
		"5881058" "5883899"	
	22	"5883923" "5896368"	US-PGPUB;
1	22	"5946357" "5949790"	USPAT; USOCR
		"6018545" "6038253"	
		"6072778" "6084904"	
		"6094428" "6134264"	
		"6301294" "6308072").PN. OR	
		("6885648").URPN.	
		encod\$7 and interleav\$7 and	HE DCDIID.
		((sav\$7 or stor\$7 or mem\$7)	US-PGPUB; USPAT; EPO; JPO;
2	338	near2 (bas\$3 or us\$3) near2	DERWENT;
		(siz\$3 or length\$7)) and	IBM_TDB
		@ad<"20021123"	
		("5291515" "5347537"	
		"5533014" "5675344"	
		"5675585" "5802046"	
	22	"5822359" "5859840"	
		"5881058" "5883899"	
		"5883923" "5896368"	US-PGPUB;
3		"5946357" "5949790"	USPAT; USOCR
		"6018545" "6038253"	
		"6072778" "6084904"	
		"6094428" "6134264"	
		"6301294" "6308072").PN. OR	
		("6885648").URPN.	
	261	encod\$7 and interleav\$7 and	
		((sav\$7 or stor\$7 or mem\$7)	USPAT; EPO; JPO;
4		near2 (bas\$3 or us\$3) near2	DERWENT;
		(siz\$3 or length\$7)) and	IBM_TDB
		@ad<"20021123"	

	Hits	Search Text	DBs
5	18	(375/340,316,377,224,226,227,22 8, 711/1,2,3,5,100,157,154,200, 369/19,24.01,47.1,59.1,60.01,272. 1).ccls. and encod\$7 and interleav\$7 and ((sav\$7 or stor\$7 or mem\$7) near2 (bas\$3 or us\$3) near2 (siz\$3 or length\$7)) and @ad<"20021123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	26	(determin\$7 or calculat\$7 or find\$3) near2 (siz\$3 or length\$7) near2 (data or information\$7 or bits or packet\$3 or fram\$3) and (encod\$7 and (memor\$7 or stor\$7) and (turbo near2 decod\$7)) and @ad<"20021123"	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	26	(determin\$7 or calculat\$7 or find\$3) near2 (siz\$3 or length\$7) near2 (data or information\$7 or bits or packet\$3 or fram\$3) and (encod\$7 and interleav\$7 and (turbo near2 decod\$7)) and @ad<"20021123"	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	24	S6 and S7	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	26	(determin\$7 or calculat\$7 or find\$3) near2 (siz\$3 or length\$7) near2 (data or information\$7 or bits or packet\$3 or fram\$3) and (encod\$7 and (memor\$7 or stor\$7 or read\$7) and (turbo near2 decod\$7)) and @ad<"20021123"	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	28	S6 or S7	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	2	"6144709".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	2	ep-923207-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	20	(375/340,316,377,224,226,227,22 8, 711/1,2,3,5,100,157,154,200, 369/19,24.01,47.1,59.1,60.01,272. 1, 341/50,81).ccls. and encod\$7 and interleav\$7 and ((sav\$7 or stor\$7 or mem\$7) near2 (bas\$3 or us\$3) near2 (siz\$3 or length\$7)) and @ad<"20021123"	USPAT; EPO; JPO; DERWENT;
14	2	S13 not S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	18	(375/340,316,377,224,226,227,22 8, 711/1,2,3,5,100,157,154,200, 369/19,24.01,47.1,59.1,60.01,272. 1).ccls. and encod\$7 and interleav\$7 and ((sav\$7 or stor\$7 or mem\$7) near2 (bas\$3 or us\$3) near2 (siz\$3 or length\$7)) and @ad<"20021123"	USPAT; EPO; JPO; DERWENT;
16	2	ep-1418675-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT
17	2	de-10214393-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT

	Hits	Search Text	DBs
18	1	wo-200221715-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT
19	1	"6393076".pn.	US-PGPUB; USPAT; USOCR
20	6	((encod\$7 or packet or fram\$7) near2 (siz\$3 or length\$7)) near2 bas\$3 near2 (mem\$7 near2 (addr\$7 or loca\$7)) and @ad<"20021123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	684	((encod\$7 or packet or fram\$7) near2 (siz\$3 or length\$7)) with (mem\$7 near2 (addr\$7 or loca\$7)) and @ad<"20021123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	47	((encod\$7 or packet or fram\$7) near2 (siz\$3 or length\$7)) with (mem\$7 near2 (addr\$7 or loca\$7)) same decod\$7 and @ad<"20021123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	21	(encod\$7 near2 (data or packet\$3 or fram\$3) near2 (siz\$3 or length\$7)) with (addr\$7 or pointer\$3 or locat\$7) near2 (read\$7 or memor\$7) and @ad<"20021123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	76	encod\$7 same ((data or packet\$3 or fram\$3) near2 (siz\$3 or length\$7)) with (addr\$7 or pointer\$3 or locat\$7) near2 (read\$7 or memor\$7) and decod\$7 and @ad<"20021123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	64	S25 not S24	US-PGPUB;
			USPAT; USOCR;
			FPRS; EPO; JPO;
			DERWENT;
			IBM_TDB
	•		US-PGPUB;
			USPAT; USOCR;
26	1802	turbo near2 decod\$7 and	FPRS; EPO; JPO;
		@ad<"20021123"	DERWENT;
		·	IBM_TDB
-			US-PGPUB;
		(turbo near2 decod\$7) same	USPAT; USOCR;
27	20	(encod\$7 near2 pack\$7) and	FPRS; EPO; JPO;
		@ad<"20021123"	DERWENT;
			IBM_TDB
	36	(turbo near2 decod\$7) same (memor\$7 or stor\$7) and (encod\$7 near2 pack\$7) and @ad<"20021123"	US-PGPUB;
			USPAT; USOCR;
28			FPRS; EPO; JPO;
			DERWENT;
			IBM_TDB
	30) \$29 not \$28	US-PGPUB;
			USPAT; USOCR;
29			FPRS; EPO; JPO;
			DERWENT;
			IBM_TDB
	2	"7245600".pn.	US-PGPUB;
			USPAT; USOCR;
30			FPRS; EPO; JPO;
			DERWENT;
			IBM_TDB

	Hits	Search Text	DBs
31	219	((memor\$7 or stor\$7) near2 (addr\$7 or loca\$7)) with ((format\$3 or siz\$3) near2 (data or cod\$3 or packet\$7 or fram\$7 or chip\$3 or informa\$7 or bit\$3 or byt\$3)) and demod\$7 and (a/d or (analog\$3 near2 digital)) and @ad<"20021123"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
32	30	((memor\$7 or stor\$7) near2 (addr\$7 or loca\$7)) with (bas\$3 or due or accord\$7) with ((format\$3 or siz\$3) near2 (data or cod\$3 or packet\$7 or fram\$7 or chip\$3 or informa\$7 or bit\$3 or byt\$3)) and demod\$7 and (a/d or (analog\$3 near2 digital)) and @ad<"20021123"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
33	20	(375/340,316,377,224,226,227,22 8, 711/1,2,3,5,100,157,154,200, 369/19,24.01,47.1,59.1,60.01,272. 1, 341/50,81).ccls. and encod\$7 and interleav\$7 and ((sav\$7 or stor\$7 or mem\$7) near2 (bas\$3 or us\$3) near2 (siz\$3 or length\$7)) and @ad<"20021123"	USPAT; EPO; JPO; DERWENT;